

Part B for: commercial lavatories

October 2, 2024 | Sustainable Minds | Contact Kim Hammer (kim@sustainableminds.com)

EPD use case goal:

1

EPD use levels are cumulative. Transparency is the baseline. To create a 'Data source' conformant PCR, all criteria in all checklists must be documented.

1. Program Operator (PO) checklist Version 1.0, May 25, 2022 | ACLCA PCR Open Standard 2022

Categories	#	Criteria	ISO reference	Supporting documentation	EPD use	3 Data source 2 Procurement 1 Transparency	How criteria were met	Due
Organizational	Ground rules							
	<input checked="" type="checkbox"/>	1	Prior to using the ACLCA PCR Guidance 2022 to develop PCRs, the PO shall use this guidance to develop and publish conformant program instructions that describe the process of PCR development aligned with ISO/TS 14027.	This guidance	General program instructions (governance document): • ACLCA PCR Guidance 2022 conformant statement with version number	1 Transparency	Updated program instructions published to SM website http://www.sustainableminds.com/files/transparency/SM_Governance_and_program_rules.pdf	Complete
	<input checked="" type="checkbox"/>	2	PO shall use this checklist to guide the creation of a PCR, identify how criteria were met, and provide the completed Program Operator Checklist and PCR Review Panel Checklist to the PCR Review Panel.	This guidance	PCR supporting documentation: • Completed checklist	1 Transparency	Completed checklists saved with the PCR supporting documentation.	Complete
	<input checked="" type="checkbox"/>	3	PO shall be the secretariat of the PCR and manage an open and transparent process to develop or update a PCR. This process shall include public notices prior to PCR development and an open consultation process with interested parties while the PCR Committee remains active. PO shall publish the intention to develop (or update) a PCR on its website, in relevant industry and trade publications and/or news services, and through centralized notification mechanisms. The announcements shall include contact information that allows interested parties to request more information about participation in the PCR development or review process. Interested parties may include material suppliers, manufacturers, trade associations, purchasers (such as architects, designers, specifiers, contractors, and engineers), users, non-governmental organizations (NGOs), and public agencies.	14027 Clause 6.4.1	PCR supporting documentation: • Date(s) announcement(s) were posted and where	1 Transparency	Public notice on the Sustainable Minds website announcing the new lavatories Part B on June 11, 2024: http://www.sustainableminds.com/transparency-report-program/part-b Email blast on June 11, 2024 to mailing lists of LCA professionals, building and construction industry and trade associations, and manufacturers with published transparency documentation listed in the Transparency Catalog under the plumbing CSI MasterFormat Division (22 00 00).	Complete
	<input checked="" type="checkbox"/>	4	PO shall determine whether to create a new PCR or to adapt an existing PCR from other geographic regions. The PO shall justify the determination in the PCR.	14027 Clause 6.4.2, 6.4.3	PCR: • Identify existing PCRs considered, and provide justification for creating a new PCR. • If new, identify the supporting LCA. • Describe how existing PCRs will be adapted.	2 Procurement	N/A	N/A
	<input checked="" type="checkbox"/>	5	PO shall evaluate upstream and downstream PCRs in the value chain to be considered for alignment. PO shall list relevant PCRs in the PCR. <i>Note: Also see Criterion 15 for the process of determining when a PCR may be updated.</i>	14044 14027 Clause 6.4.3 This guidance	PCR supporting documentation: • Identify existing upstream PCRs for the major inputs to the product(s) considered in the PCR. • Describe differences in allocation rules or other potential conflicts and how they were resolved. • Identify existing downstream PCRs that use products/materials from the PCR and how inconsistencies were resolved.	3 Data source	N/A	N/A
	<input checked="" type="checkbox"/>	6	PO shall harmonize PCR activities with other EPD programs to avoid unnecessary duplication and proliferation of similar PCRs, and align on mutual recognition agreement (MRA) requirements. PO shall list relevant PCRs in the PCR. <i>Note: Refer to both the ACLCA's PCR library and the North American PCR Catalog: Building & Construction Materials</i> https://www.transparencycatalog.com/na-pcr-catalog-building-products	14027 Clause 6.5.5 14029 Clause 7, 9.2	PCR supporting documentation: • Identify whether this criteria is applicable. • Identify other POs engaged to harmonize PCR activities and opportunities explored (joint development of new, merging, application of existing, or adaption of existing). • MRA between POs one exists.	1 Transparency	Addressed in Program operator responsibilities section of Part B.	Complete
	<input checked="" type="checkbox"/>	7	PO shall publish and implement procedures for an appeals mechanism to ensure prompt and impartial handling of procedural complaints regarding any action or inaction of the PCR Committee, PCR Review Panel, or Program Operator.	14027 Clause 6.4.4	General program instructions (governance document): • Explanation of appeals process	1 Transparency	Addressed in section 10.0 of the governance document.	Complete
	<input checked="" type="checkbox"/>	8	PO should include a method for addressing data quality in its general program instructions. <i>Note: Refer to the addendum "Assessing Data Quality of Background Life Cycle Inventory Datasets" for an example data quality assessment method.</i>		General program instructions (governance document): • Method for Data Quality Assessment	2 Procurement	N/A	N/A
	PCR committee formation							
<input checked="" type="checkbox"/>	9	PO shall actively reach out to interested parties (including parties outside the PO's country or region) to ensure that the PCR Committee is composed of independent members, making sure that the interests of one party do not dominate the PCR development process. No single interested party category (at individual, organizational, or sectoral levels) shall dominate the membership of a PCR Committee. Interested parties may include material suppliers, manufacturers, trade associations, purchasers (such as architects, designers, specifiers, contractors, and engineers), users, non-governmental organizations (NGOs), and public agencies.	14025 Clause 5.5, 6.5, & 9.3 14027 Clause 6.4.1 and 6.4.2	PCR: • List of PCR Committee members with employer and/or other entity on behalf of which they are participating. PCR supporting documentation: • Description of interested party outreach efforts and explanation of interested parties that did not participate.	1 Transparency	Working group members listed on page 1 of each Part B.	Complete	

<input checked="" type="checkbox"/> 10	<p>PO shall address potential conflicts of interest developing the PCR and fully disclose funding sources for the management to interested parties. If significant external funding was made by one or more parties to support the development, the PO should put in place procedures to ensure that no conflict of interest occurs in the PCR process. 'Significant funding' is defined as more than \$10,000 or its in-kind equivalent, or 20% or more of the anticipated funding needs.</p>	<p>US EPA Environmentally Preferable Purchasing Program Framework for the Assessment of Environmental Performance Standards and Ecolabels for Federal Purchasing. https://www.epa.gov/system/files/documents/2022-02/updated-framework_020222.pdf</p>	<p>PCR supporting documentation:</p> <ul style="list-style-type: none"> - The policy or procedure in use when the PCR was developed covering conflicts of interest, separation of organizational functions necessary to address any potential conflict of interest. - Attestation that this policy or procedure was followed during the development. <p>The evidence must also include one of the following:</p> <ul style="list-style-type: none"> - Documentation that original sources of funding were disclosed to interested parties, such as a disclosure statement, or in meeting minutes for relevant working groups. 	<p>1 Transparency</p>	<p>Conflict statement included in the Part B development information table of each Part B.</p>	<p>Complete</p>
Content of PCR			How criteria were met		Due	
<input checked="" type="checkbox"/> 11	<p>The PCR shall report on the following items:</p> <ul style="list-style-type: none"> • Name and registration number of the PCR • General information about the program: name of the program, contact information, logo, and website if applicable • PCR Committee members and affiliations • Publication date • Expiration date and renewal schedule • Types of product claims covered by the PCR, with references to standards • Product category • Geographical representativeness of the PCR • Original language and translations (if existing) • How to make comments to the PCR 	<p>14027 Clause 6.5</p>	<p>PCR:</p> <ul style="list-style-type: none"> • Draft PCR that includes all items reported 	<p>1 Transparency</p>	<p>Part A section 1.1 addresses the use of SM PCRs to create ISO 14025 Type III environmental declarations, and also language availability. http://www.sustainableminds.com/files/transparency/SM_Part_A_LCA_calculation_rules_and_report_requirements_2023.pdf</p> <p>All other items are addressed in each Part B.</p>	<p>Complete</p>
<input checked="" type="checkbox"/> 12	<p>The PCR shall report the following information about the review process and background of the PCR:</p> <ul style="list-style-type: none"> • Review panel member information • Open consultation period and participants • Other existing PCRs for the product category and reasons for developing a new one • Reference to underlying LCAs • Confirmation statement that the PCR was created in conformance with this ACLCA PCR Guidance (including version number) 	<p>14025 Clause 5.5, 8.2 14027 Clause 5.2, 6.4.4 14025 Clause 6.7.1, 6.7.2 14027 Clause 6.1, 6.4.3, 6.5.3, 7.1d</p>	<p>PCR:</p> <ul style="list-style-type: none"> • Draft PCR that includes all items except 'open consultation period' <p>PCR supporting documentation:</p> <ul style="list-style-type: none"> • Open consultation period and participants 	<p>1 Transparency</p>	<p>All items except open consultation participants addressed in Part B.</p> <p>Aggregated technical and public comments spreadsheet, including commenter names and committee responses, to be created and made available in the Detailed Review Report.</p>	<p>Complete</p>
PCR review process			How criteria were met		Due	
<input checked="" type="checkbox"/> 13	<p>PO shall set up an independent third-party review panel composed of a minimum of three members (a chair and two members). The combined competencies of the panel shall include, at a minimum, expertise in LCA and in the relevant product sector. <i>Note: Refer to the PCR Review Panel Checklist for review panel expectations.</i></p>	<p>14027 Clause 7.1, 7.2, 7.3, 14025 Clause 8.2.3</p>	<p>PCR:</p> <ul style="list-style-type: none"> • List of review panel members 	<p>1 Transparency</p>	<p>Working group members listed on page 1 of each Part B.</p>	<p>Complete</p>
<input checked="" type="checkbox"/> 14	<p>PO shall also set up an open consultation review.</p>	<p>14027 Clause 6.4.4, 7.3</p>	<p>PCR supporting documentation:</p> <ul style="list-style-type: none"> • Date(s) open consultation period(s) announced, where/how; aggregated comments spreadsheet 	<p>1 Transparency</p>	<p>Aggregated technical and public comments spreadsheet, including commenter names and committee responses, to be created and made available in the Detailed Review Report.</p>	<p>Complete</p>
<input checked="" type="checkbox"/> 15	<p>PO shall ensure the PCR Review Panel provides comments within a 90-day period.</p>	<p>This guidance</p>	<p>PCR supporting documentation:</p> <ul style="list-style-type: none"> • Date(s) PCR review period 	<p>1 Transparency</p>	<p>Due date less than 90 days provided to PCR reviewer (Jul 17 - Aug 2).</p>	<p>Complete</p>
Publication, new and updated PCRs			How criteria were met		Due	
<input checked="" type="checkbox"/> 16	<p>PO shall be responsible for publishing and maintaining the PCR. The published PCR shall be publicly available on the PO's website, free for any other PO to use.</p> <p>PO shall write out the publication date (e.g., June 25, 2022) and expiration date (e.g., June 24, 2027). PCRs shall have a validity period of no more than five years from the publication date. PCRs are invalid beyond the expiration date. PO shall provide the schedule for renewal, if applicable.</p> <p>PO should include a statement adjacent to the PCR Review Panel attribution to indicate conformance with this guidance (including version number) and the EPD use case level.</p> <p>PO should not act as a barrier to translating the PCR and should act as a facilitator for the translation.</p>	<p>14025 Clause 6.4, 6.7.1 14027 Clause 8.1.1</p> <p>This guidance</p>	<p>PCR supporting documentation:</p> <ul style="list-style-type: none"> • URL of PO's published PCRs page • URL PCR will be available at when published <p>PCR:</p> <ul style="list-style-type: none"> • Validity period of PCR • Conformance statement and EPD use case level 	<p>1 Transparency</p>	<p>A link to the SM Part B page is included in each Part B. Completed Part Bs will be uploaded to that page when published. The URL of the Part B when published will be as follows: http://www.sustainableminds.com/files/transparency/pgds/Part_B_Product_Group_Definition_Commercial_Lavatories_2024.pdf</p> <p>Part B contains validity period, conformance statement, and EPD use case level.</p>	<p>Complete</p>

	<input checked="" type="checkbox"/>	17	To manage the expectations of PCR users, the PO shall post update information on its website at least four months in advance of the expiration date. The update options include: extending the current PCR, updating the PCR, or letting the PCR expire with no update. If information is not provided within this timeframe, other POs may proceed with the update and post PCR update information on their website.	This guidance	• URL of PO's PCRs undergoing updates	1 Transparency	Public notice on the Sustainable Minds website announcing the new laboratories Part B on June 11, 2024: http://www.sustainableminds.com/transparency-report-program/part-b Email blast on June 11, 2024 to mailing lists of LCA professionals, building and construction industry and trade associations, and manufacturers with published transparency documentation listed in the Transparency Catalog under the plumbing CSI MasterFormat Division (22 00 00).	Complete
	<input checked="" type="checkbox"/>	18	To update a PCR during the validity period, the PO shall : 1. Notify the original PCR Committee members and original Review Panel. 2. Consult ISO 14027 to confirm the reason to update is valid. 3. Create or update the ACLCA PCR Guidance Checklists for the PCR. 4. Open consultation to interested parties. 5. Update the PCR. 6. Obtain sign-off by PCR Review Panel. 7. Republish an updated version and include a change log at the start of the document. 8. Announce the updated version. 9. Update the ACLCA PCR Repository. In the case that an existing PCR does not meet the requirements for creating EPDs for public or private procurement purposes, the PO shall make an effort to first engage the commissioner of the PCR to reconvene the PCR Committee in order to make the required updates. If the PCR commissioner does not reconvene the PCR Committee within 30 days of the PO's request, then the PO may proceed to develop a new PCR using the existing PCR as an informative input document.	14027 Clause 9	PCR: • Valid update reason PCR supporting documentation: • Checklists	1 Transparency	The Part B development information table in each Part B lists an Update justification where relevant. For this Part B, updates were not made during the validity period. The process for updating a PCR during the validity period is included in section 9.0 of the governance document. http://www.sustainableminds.com/files/transparency/SM_Governance_and_program_rules.pdf	Complete
	<input checked="" type="checkbox"/>	19	For substantial PCR updates (e.g., updates that impact the results of an EPD), the PO shall contact manufacturers in their program with valid EPDs and other POs to bring attention to the PCR changes and encourage that they update accordingly.	14027 Clause 9	PCR supporting documentation: • Description of notification and dates of outreach	1 Transparency	Not applicable; this is a new Part B.	Complete
	EPD template						How criteria were met	Due
	<input checked="" type="checkbox"/>	20	PO shall create a standard EPD template to be used for all EPDs that can be customized per PCR to identify requirements unique to each. Consider both digital and print (PDF) publishing. <i>Note: Refer to the 'EPD Comparability and Digital EPDs / Open EPD addendum.</i> PO shall include a statement adjacent to the PCR name to indicate conformance with this guidance and the EPD use case level.	This guidance	PCR: • EPD template document prepared for this PCR • Statement text included in EPD template	1 Transparency	A standard EPD template is included in Appendix C of Part A. Under the name of each Part B is a statement indicating conformance to this guidance and the EPD use case level.	Complete
	<input checked="" type="checkbox"/>	21	PO shall ensure that the type of EPD developed is clearly noted on the EPD. <i>Note: Refer the 'EPD Types' addendum.</i>	This guidance	PCR: • Statement text included in EPD template	1 Transparency	Requirement listed in the Verification statement section in Appendix C of Part A (EPD template).	Complete
Goal and scope	<input checked="" type="checkbox"/>	22	Product categories shall be primarily defined and sufficiently described by product functionality, technical performance, and use. The PCR shall clearly define the product groups for which the rules apply, both by using descriptive language and by using the relevant codes for any of the existing classification systems relevant to the product category and region. Products NOT covered by the PCR shall be clearly listed (as a clarification when products are similar). PO should ensure that the product classification systems are not to be the single determining factor for defining the product category. The PCR is encouraged to provide sufficient information to clearly describe the scope of products and services for which the rules apply.	14027 Clause 8.1.1	PCR: • Draft PCR which includes all the items	2 Procurement	N/A	N/A

Part B for: commercial lavatories

October 2, 2024 | Sustainable Minds | Contact Kim Hammer (kim@sustainableminds.com)

EPD use case goal:

1, 2 or 3

EPD use levels are cumulative. Transparency is the baseline. To create a 'Data source' conformant PCR, all criteria in all checklists must be documented.

2. PCR Committee checklist Version 1.0, May 25, 2022 | ACLCA PCR Open Standard 2022

Categories	#	Criteria	ISO reference	Supporting documentation	EPD use	3 Data source 2 Procurement 1 Transparency	How criteria were met	Due
Documentation	Ground rules							
	<input checked="" type="checkbox"/>	1	PCR Committee shall use this checklist to guide the creation of a PCR, identify how criteria were met, and provide the completed checklist to the Program Operator to provide to the PCR Review Panel.	This guidance	PCR supporting documentation: • Completed checklist	1 Transparency	Completed checklists saved with the PCR supporting documentation.	Complete
	<input checked="" type="checkbox"/>	2	PCR Committee shall thoroughly document the use of an existing PCR as an informative document in any adaptation to create a new PCR. Include the PO name, existing PCR name, product category classification, link to the existing PCR, and provide justification for adapting the existing PCR.	14027 Clause 6.4.3 and this guidance	PCR: • Link to PCR Committee's documentation of adaptation	2 Procurement	N/A	N/A
	<input checked="" type="checkbox"/>	3	PCR Committee shall respond to each comment from the PCR Review Panel and public consultation. Responses should address any conflicting comments provided by the PCR Review Panel.	This guidance	PCR supporting documentation: • Link to PCR Committee's documented public response to comments and consultation on PO's website (aggregated comments spreadsheet).	1 Transparency	Aggregated public comments and review panel comments, including committee responses, created and published on the SM website with the PCR supporting documentation.	Complete
Compliance	<input checked="" type="checkbox"/>	4	PCR Committee shall provide a limited description of the involvement of interested parties for open consultation. Specifically, the PCR should provide: • The name and/or affiliation of the stakeholders who participated in the open consultation. • The dates of the open consultation period. Public consultation should be utilized during the PCR review process. The public consultation of the completed draft PCR should include at a minimum a 30-calendar-day time period for comments to be submitted.	14025 Clause 5.5 14027 Clause 5.2, 6.4.4	PCR: • Draft PCR that includes list of participating interested parties and dates of consultation period.	1 Transparency	Open consultation period listed in 'Open consultation' section of the Part B development table. Aggregated technical and public comments spreadsheet, including commenter names and committee responses, to be created and made available in the Detailed Review Report.	Complete
	<input checked="" type="checkbox"/>	5	PCR Committee shall ensure that the underlying LCA meets the requirements of ISO 14044 and other pertinent standards and that, according to these standards, it has either been critically reviewed by a third party or has undergone an internal verification, either by the PCR Committee itself or appointed independent LCA expert.	14025 Clause 6.7.1, 6.7.2, 8.1.3, 8.2.1, 8.2.2 14027 Clause 5.1, 6.1, 6.5.3, 7.1d	PCR supporting documentation: • Link to documentation of LCA review or internal verification.	2 Procurement	N/A	N/A
	<input checked="" type="checkbox"/>	6	PCR Committee shall ensure that the PCR is compliant with any referenced standards and relevant program instructions under which it is developed.		PCR: • List of referenced standards and link to relevant program instructions.	1 Transparency	Use of Part B in conjunction with SM Part A is addressed in Program operator responsibilities section of each Part B. SM Part A section 1.1 lists the standards required for conformance. The last section of each Part B contains a link to where to find the SM program instructions (governance document).	Complete
	<input checked="" type="checkbox"/>	7	PCR Committee shall establish LCA requirements that are consistent with ISO 14044. The PCR Committee is encouraged to develop end-use case scenarios for the PCR-compliant EPDs and to incorporate considerations for these use cases into the underlying LCA.	14025 Clause 6.7.1, 6.7.2 14027 Clause 5.1, 6.1, 6.5.3, 7.1d	PCR supporting documentation: • Third-party reviewed ISO 14040/44 conformant LCA of the product categories under consideration. The LCA will reflect cases in which the EPD may be interpreted in use.	1 Transparency	A link to the underlying LCA is included in the Program operator responsibilities section of Part B.	Complete
Goal and scope	Ground rules							
	<input checked="" type="checkbox"/>	8	PCR Committee shall ensure that all rules for LCA are specified and harmonized with upstream and downstream PCRs (if available) in conformance with relevant standards, including: specification of the functional unit, scope of the study, inventory collection, any allocation rules, impact assessment, and rules for additional information.	14044 14027 Clause 6.5.3	PCR: • Draft PCR with list of specifications	3 Data source	N/A	N/A
	<input checked="" type="checkbox"/>	9	PCR Committee shall ensure that the product category used in the underlying LCA supporting the PCR is directly applicable to the PCR.	14025 Clause 3.14, 6.6, 6.7.2 14027 Clause 6.5.2, 6.5.3	PCR: • Specification and justification of the product category and applicable functional unit.	2 Procurement	N/A	N/A
	<input checked="" type="checkbox"/>	10	PCR Committee shall define the study scope and EPD type for construction products and services.	21930 Clause 5.2.1, 5.2.2	PCR: • Draft PCR with specification of scope as cradle-to-gate or cradle-to-gate with options or cradle-to-grave.	1 Transparency	Part B specifies the scope as cradle-to-grave.	Complete
	<input checked="" type="checkbox"/>	11	PCR Committee shall ensure that a clearly defined and measurable functional or declared unit is included in the PCR for construction products and services.	21930 Clause 7.1.2, 7.1.3	PCR: • Draft PCR with detailed description of the application and suitability of defining functional and declared units, respectively.	1 Transparency	Part B provides a description of the functional unit.	Complete

	<input checked="" type="checkbox"/>	12	The PCR Committee shall determine which EPD types may be developed (ex: product-specific, industry-wide) and state the specific data requirements for each type. Any other terminology describing types of EPDs should be discouraged. <i>Note: Refer to the 'EPD Types' addendum for descriptions.</i>	ISO 21930 Annex B and 'EPD Types' addendum	PCR: • Draft PCR with description of the EPD types with specific data requirements	1 Transparency	Part B specifies EPD type under the name of the Part B. Specific data requirements are listed in the Additional rules to Part A section of Part B.	Complete	
	System boundary							How criteria were met	Due
	<input checked="" type="checkbox"/>	13	PCR Committee shall determine the level of granularity of unit processes specified by the PCR to be included in the underlying LCA supporting the EPD and ensure that these are consistent with the study's goal of using well-identified and explained criteria.	14044 4.2.3.3 14027 Clause 6.5.3 21930 Clause 7.1.9 for construction products & services	PCR: • Draft PCR with list of all unit processes that include all service, material, and energy flows directly connected to the study project and its ability to perform its function.	3 Data source	N/A	N/A	
	<input checked="" type="checkbox"/>	14	PCR Committee shall ensure that the PCR requires: 1) at minimum, a cradle-to-gate[1] system boundary and that any deviation is explicitly specified and justified; and 2) the use of the recycled content (i.e., cut-off) approach for end-of-life allocation of environmental burdens between product systems. [1] "Gate" represents the finished and packaged product at the manufacturing facility just prior to shipping.	14044 Clause 4.2.3.3.1 14025 6.7.2b, 6.7.2c, 6.7.2j, 7.2.5 14027 6.5.3b, 6.5.6	PCR: • Draft specification of the system boundary and justification of any system boundary minimum requirement deviations (where applicable).	2 Procurement	N/A	N/A	
	<input checked="" type="checkbox"/>	15	PCR Committee shall ensure that the PCR specifies the capital goods and infrastructure to be included in cases whenever it is feasible. The PCR Committee is encouraged to specify lifetimes or standardized methods of computing lifetimes, as well as the depreciation method utilized to allocate the burden of capital goods over their service period, with any deviations from the default approach explicitly specified and justified.	This guidance	PCR: • Draft PCR that includes all items	2 Procurement	N/A	N/A	
	<input checked="" type="checkbox"/>	16	PCR Committee shall develop scenarios representing a set of domain-specific standard guidelines for any and each life cycle stage to be included beyond cradle-to-gate (i.e., A1-A3) in the PCR scope and require LCA results for these be reported. The PCR shall also prescribe assumptions for scenarios in cases where there is no discernable difference between one product and another in the same category for use and end-of-life stages. The PCR Committee should include criteria in the PCR for deviation from the prescribed scenarios.	This guidance	PCR: • Where applicable, list of scenarios and associated assumptions.	2 Procurement	N/A	N/A	
	<input checked="" type="checkbox"/>	17	PCR Committee shall specify whether the benefits and loads beyond the system boundary (i.e., Module D) are to be included in the EPD. If so, the PCR shall describe the specific scenario(s), benefits, and loads to be considered and reported separately in relevant EPDs communicating the full life cycle (cradle-to-grave) impacts of a product. <i>Note: Refer to the 'Circular Scenarios (Module D)' addendum.</i>	This guidance and 'Circular Scenarios (Module D)' addendum	PCR: • Where applicable, list of scenarios and concomitant benefits and loads to be included.	2 Procurement	N/A	N/A	
Life cycle inventory	Data collection							How criteria were met	Due
	<input checked="" type="checkbox"/>	18	PCR Committee shall prescribe acceptable primary data collection practices and clearly specify the scope and data quality for secondary data with recommendations for use of specific datasets or databases facilitating this process. Datasets used for calculations shall have been updated within the last 10 years for background data and within the last 5 years for producer-specific (foreground) data; deviations shall be justified. Where databases are required, alternatives or modifications shall be proposed for geographic areas or technologies beyond the scope of the specified dataset(s). Any deviation from the recommended background (secondary) datasets in the PCR shall be clearly specified and justified. In addition, the PCR shall require EPDs to disclose the reporting period for primary and secondary data. <i>Note: Refer to the 'Assessing Data Quality of Background Life Cycle Inventory Datasets' addendum.</i>	ISO 21930 Clause 7.1.9 and 'Data Quality and Secondary Background Datasets' addendum	PCR: • Draft PCR that includes all items	2 Procurement	N/A	N/A	
	<input checked="" type="checkbox"/>	19	PCR Committee shall identify and ensure that the PCR specifies the selected LCIA indicators or additional information requirements for which relevant inventory information shall be collected.	14025 Clause 7.2.2, 7.2.3 14027 Clause 6.5.4, 6.5.5, 6.6	PCR: • Draft PCR that includes all items	1 Transparency	SM Part A includes the list of selected LCIA indicators.	Complete	
	<input checked="" type="checkbox"/>	20	PCR Committee shall specify, based on the underlying LCA and/or additional studies informing the PCR, all the data that are to be collected (rather than specifying cut-off criteria for the inventory).	14025 Clause 7.2.3, 7.2.4 14027 Clause 6.6	PCR: • Draft PCR that includes all items	2 Procurement	N/A	N/A	
	<input checked="" type="checkbox"/>	21	PCR Committee shall specify the type of data to be collected. The committee is encouraged to follow standard data collection examples for foreground (primary) data collection.	21930 Clause 7.1.9 14044 Annex A	PCR: • Draft PCR with data collection sheet example specific to PCR	2 Procurement	N/A	N/A	
Data quality							How criteria were met	Due	

<input checked="" type="checkbox"/> 22	<p>PCR Committee shall refer to relevant guidance to consider parameters for assessing data quality of both foreground (primary) and background (secondary) data. <i>Note: Refer to the 'Assessing Data Quality of Background Life Cycle Inventory Datasets' addendum which provides a data quality assessment method.</i></p>	<p>21930 Clause 7.1.9 14044 Clause 4.2.3.6 14025 Clause 6.7.2 14027 Clause 6.2</p>	<p>PCR supporting documentation:</p> <ul style="list-style-type: none"> • Complete data quality assessment for both foreground (primary) and background (secondary) data. This information shall also be included in the underlying LCA, and reviewed. 	<p>1 Transparency</p>	<p>A data quality assessment of primary and secondary data is included in the underlying LCA and was reviewed by the PCR committee.</p>	<p>Complete</p>
Background/secondary data				How criteria were met	Due	
<input checked="" type="checkbox"/> 23	<p>PCR Committee shall ensure that the PCR specifies background (secondary) data quality requirements such that differences between claim results are rooted in actual technical differences, rather than artifacts of background data or the platform. If a secondary data source does not meet the required quality specified by the PCR, it shall be verified by the program operator that better data is not available. <i>Note: Refer to the 'Assessing Data Quality of Background Life Cycle Inventory Datasets' addendum which provides a data quality assessment method.</i></p> <p>For example, as detailed in this addendum, the most recent version of background data for baseline electricity from Federal LCA Commons met the data quality requirements and is recommended to be specified across PCRs (with the LCI and method compatible with the Federal Elementary Flow List (FEDEFL) from https://www.lcacommons.gov/.</p>	<p>Assessing Data Quality of Background Life Cycle Inventory Datasets' addendum</p>	<p>PCR:</p> <ul style="list-style-type: none"> • Draft PCR with list of background (secondary) data sources and default LCIA method(s) 	<p>2 Procurement</p>	<p>N/A</p>	<p>N/A</p>
Foreground/primary data				How criteria were met	Due	
<input checked="" type="checkbox"/> 24	<p>PCR Committee shall ensure that the PCR specifies primary data be collected for every process in the product system under the control of the organization making the product claim.</p> <p>The PCR Committee is encouraged to specify that data specific to the investigated product scope and supply chain are preferable to generic data, particularly in unit processes considered to have a significant contribution to the product life cycle.</p> <p>For EPDs seeking transparency-level conformance with this guidance, the PCR shall require the following: EPDs that use secondary data for any unit process that contributes 30% or more to any disclosed environmental impact category shall disclose the data source (database name and version, dataset name, dataset geography, and dataset allocation method).</p>	<p>This guidance</p>	<p>PCR supporting documentation:</p> <ul style="list-style-type: none"> • Foreground (primary) data collected in conducting the underlying LCA, and the sensitivity of LCIA outcomes to variability in the foreground data. A facility-specific data collection protocol shall also be included. 	<p>1 Transparency</p>	<p>SM Part A section 7.6 states that primary data shall be collected for every process in the product system under the control of the organization(s) developing the LCA.</p> <p>Part B contains a statement in the Additional rules to Part A section which states: EPDs that use secondary data for any unit process that contributes 5% or more to any disclosed environmental impact category shall disclose the data source (database name and version, dataset name, dataset geography, and dataset allocation method)</p> <p>The underlying LCA lists primary data collected and includes an analysis on sensitivity or variability.</p>	<p>Complete</p>
<input checked="" type="checkbox"/> 25	<p>For EPDs seeking procurement-level conformance with this guidance, the PCR shall require that EPDs use facility-specific data for upstream unit processes that cumulatively contribute 50% or more to the disclosed global warming potential.</p> <p>In situations where facility-specific data is not available for the upstream unit processes, and such a facility is required to report to the EPA Greenhouse Gas Reporting Program (GHGRP), the PCR shall require the EPD to disclose in the Additional Environmental Information section: the carbon intensity of the manufacturing plant (carbon emitted per metric ton of product manufactured) from which these products, and/or the quartile in which in which the manufacturing plant resides where benchmarks have been published</p> <p>[https://www.epa.gov/ghgreporting/ghgrp-minerals]. Carbon intensity shall be calculated by dividing the emissions reported to the EPA GHGRP by plant production. Emission and production data must be from the same reporting period using the most recent year of data.</p> <p>When a published ENERGY STAR Energy Performance Indicator is available for a product or constituent upstream product, the PCR shall require the EPD to disclose in the Additional Environmental Information section: the ENERGY STAR Energy Performance Score for the manufacturing plant in which the product or constituent upstream product was manufactured, and the reporting period of the underlying data. See https://www.energystar.gov/industrial_plants/energy_star_plant_certification/buy_clean_procurement_and_energy_star_0 for more information.</p>	<p>This guidance</p>	<p>PCR:</p> <ul style="list-style-type: none"> • Draft PCR that includes all items 	<p>2 Procurement</p>	<p>N/A</p>	<p>N/A</p>
<input checked="" type="checkbox"/> 26	<p>PCR Committee shall ensure that the PCR specifies the means by which primary data should be collected and may provide templates to facilitate harmonized data collection, metadata recording, and results reporting. If the specified data collection means are unachievable for a specific EPD developer, the PCR shall designate that the developer records the data collection method(s) utilized in the data description.</p>	<p>14025 Clause 6.7.2</p>	<p>PCR:</p> <ul style="list-style-type: none"> • Specification of data collection methods (e.g., measured, calculated, estimated) 	<p>1 Transparency</p>	<p>SM Part A section 7.6 states: The method of data collection shall be specified (e.g., measured, calculated, estimated).</p>	<p>Complete</p>

Data assumptions				How criteria were met	Due	
☑ 27	PCR Committee shall specify all parameters of assumed scenarios for use and end-of-life stages so as to ensure comparability and consistency of results. If a manufacturer wishes to define their own scenario(s), they shall be based on primary data.	This guidance and the 'Circular Scenarios (Module D)' and the 'Allocating Materials Shared Across Product Systems' addendum	PCR: • List of parameters for use and end-of-life stage scenarios	2 Procurement	N/A	N/A
☑ 28	PCR Committee shall ensure that the PCR provides worst-case (i.e., 'conservative') default values for scenario data of the specified processes where no data are available for the EPD developer.	This guidance	PCR: • List of worst-case (i.e., 'conservative') default scenario values	2 Procurement	N/A	N/A
Data compliance				How criteria were met	Due	
☑ 29	PCR Committee shall ensure that claims made in the PCR are based on the results of an LCIA, LCI, and/or substantiated and verifiable additional information modules relevant to the product category.	14027 Clause 6.6	PCR: • An underlying LCA with supporting LCIA and LCI for all PCR guidelines	1 Transparency	The underlying LCA contains relevant supporting LCA results.	Complete
☑ 30	PCR Committee shall ensure that the PCR states data quality requirements for all data applicable for use in claims. These data shall be verified to be compliant with the established PCR data quality requirements and those for foreground (primary) and background (secondary) data. The PCR shall specify that a data quality assessment be performed on all collected foreground (primary) data and may provide templates to facilitate harmonized primary data collection, assessment, reporting, and verification. <i>Note: Refer to the 'Assessing Data Quality of Background Life Cycle Inventory Datasets' addendum.</i>	This guidance	PCR: • Data quality assessment criteria and/or template	3 Data source	N/A	N/A
☑ 31	PCR Committee shall ensure that PCR-designated background (secondary) data sources be specified and verified such that: • Data for electricity, transportation, basic fuels, and heavy equipment operation are the most current versions from common public background data (e.g., for North America, LCI and method compatible with the Federal Elementary Flow List (FEDEFL) from https://www.lcacommons.gov/). • Temporal, geographical, and technological coverage of the secondary data is compatible with the scope of the PCR. • System boundaries are equivalent, and reference flows are adaptable to the product system specified in the PCR. • Sources of secondary data are cited. • Allocation procedures used for secondary data are appropriate for the system under study.	This guidance and 'Assessing Data Quality of Background Life Cycle Inventory Datasets' and the 'Allocating Materials Shared Across Product Systems' addenda	PCR: • Draft PCR with list of background (secondary) data sources and default LCIA method(s)	2 Procurement	N/A	N/A
Allocation				How criteria were met	Due	
☑ 32	PCR Committee shall ensure that the PCR specifies which processes are to be subdivided if allocation can be avoided in this manner wherever feasible. The PCR shall also provide guidelines on how the subdivision should be performed.	14025 Clause 6.7.1c, 6.7.2c 14027 Clause 6.5.3	PCR • Draft PCR that lists processes and subdivision method	2 Procurement	N/A	N/A
☑ 33	PCR Committee shall ensure the PCR specifies that where allocation by physical relationship is applied, the PCR shall specify the relevant underlying physical relationships to be considered and establish or refer to the relevant allocation rules.	14025 Clause 6.7.1c, 6.7.2c 14027 Clause 6.5.3	PCR • Draft PCR that includes specification	1 Transparency	Allocation rules are listed in section 8 of SM Part A.	Complete
☑ 34	PCR Committee should refer to relevant standards for defining allocation procedures for reuse and recycling, as well as waste handling, and for scenarios for treating waste generation during the product life cycle.	14044 Clause 4.3.4 21930 Clause 7.1.7.2.7	PCR • Draft PCR that includes specification	1 Transparency	Allocation regarding output of waste per ISO standards is listed in section 8 of SM Part A.	Complete
☑ 35	PCR Committee shall refer to rules for and prioritize stepwise allocation for industrial processes that produce more than one product or deliver more than one service. For example, the refining of crude oil produces more than one different product, such as liquefied petroleum gas, gasoline, naphtha, diesel, asphalt, and others. PCR Committee shall refer to rules prohibiting system expansion as a method for avoiding allocation for construction products that may involve the production of co-products; rather, the PCR shall prescribe an ISO-compliant method of allocation, or an allocation procedure if multiple methods are allowed.	14044 Clause 4.3.4.2 21930 Clause 7.2.5	PCR • Draft PCR including allocation method and procedure (where applicable)	2 Procurement	N/A	N/A
End of life scenario				How criteria were met	Due	

	<input checked="" type="checkbox"/>	36	PCR Committee shall prescribe ISO-compliant rules for allocation between product systems (across the system boundary) and designate whether Module D may be optionally reported in the EPD for construction products and services. If so, the PCR shall prescribe detailed calculation rules for any quantitative metrics reported therein. <i>Note: Refer to the 'Allocating Burdens and Benefits of Materials Shared Across Product Systems' addendum.</i>	21930 Clause 7.2.6	PCR: • Draft PCR with allocation rules and calculation rules	2 Procurement	N/A	N/A
Life cycle impact assessment	<input checked="" type="checkbox"/>	37	PCR Committee shall include all minimally required, core indicators for ISO-compliant EPDs; specifically bulleting the indicator with: 1) the LCA characterization methodology, and 2) reference in parenthesis. Additionally, the PCR is encouraged to specify at least one LCIA method that includes characterization factors for calculating category indicator results for each impact category and each geographical region covered by the PCR.	21930 Clause 9.5	PCR: • Draft PCR including all items	1 Transparency	Core indicators are listed in section 9 of SM Part A.	Complete
Interpretation	<input checked="" type="checkbox"/>	38	PCR Committee shall identify the steps for interpreting the results of the underlying LCA study.	14044 Clause 4.5 21930 Clause 9	PCR: • Draft PCR including all items	1 Transparency	SM Part A section 9.3 includes steps for interpreting the results of a background LCA.	Complete
	<input checked="" type="checkbox"/>	39	PCR Committee shall ensure that the PCR communicates requirements (either qualitative or quantitative) and reference the methods and format used to report additional environmental information.	21930 Clause 8.4 14025 Clause 7.2.3, 7.2.4	PCR: • Detailed specification on requirements and reference methods and format used to report additional environmental information.	1 Transparency	SM Part A section 10 includes a description of additional environmental information and the TR/EPD template in Appendix C showing placement of such information.	Complete
	<input checked="" type="checkbox"/>	40	PCR Committee shall ensure that the PCR lists assumptions and limitations associated with the underlying LCA results.	14044 Clause 4.5.2.1	PCR: • Draft PCR including all items	1 Transparency	SM Part A section 5.2 includes a description of assumptions and limitations associated with TR/EPD results.	Complete
	<input checked="" type="checkbox"/>	41	PCR Committee shall specify different types of uncertainties to be propagated in the underlying LCA study and is encouraged to ensure that the PCR describes procedures for reporting uncertainty of results.	14044 Clause 4.4.4.2 14025 6.7.1b	PCR: • Draft PCR including all items	1 Transparency	SM Part A states that uncertainty shall be addressed in the data quality assessment and may be addressed qualitatively or quantitatively.	Complete

Part B for: commercial lavatories

October 2, 2024 | Sustainable Minds | Contact Kim Hammer (kim@sustainableminds.com)

EPD use case goal: **1, 2 or 3**

EPD use levels are cumulative. Transparency is the baseline. To create a 'Data source' conformant PCR, all criteria in all checklists must be documented.

3. PCR Review Panel checklist Version 1.0, May 25, 2022 | ACLCA PCR Open Standard 2022

Categories	#	Criteria	ISO reference	Supporting documentation	EPD use	3 Data source 2 Procurement 1 Transparency	How criteria were met	Due
Organizational	Ground rules							
	<input checked="" type="checkbox"/>	1	The PCR Review Panel shall use this checklist to guide their process of reviewing the PCR.	This guidance	PCR supporting documentation: • Completed checklist	1 Transparency	Completed checklists saved with the PCR supporting documentation.	Complete
	<input checked="" type="checkbox"/>	2	PCR Review Panel members shall disclose any conflicts of interest using the conflict of interest form.	14027 Clause 7.2 14071	PCR supporting documentation: • Review panel completed conflict of interest forms	1 Transparency	Conflict of interest forms to be completed by review panel members.	Complete
	<input checked="" type="checkbox"/>	3	The PCR Review Panel shall meet with the Program Operator to discuss the PCR and how to perform their review. The PCR Review Panel shall investigate whether the PCR has been developed in accordance with relevant LCA-based claim standards, general program instructions, specifications, and guidelines, and ensure that it supports the creation of credible and consistent claims. The PCR Review Panel shall verify that the EPD template is consistent with the PCR guidelines. The PCR Review Panel shall generate and compile their comments in a review report. By the agreed upon date determined by the Program Operator, the review report shall be sent to the PCR Committee for consideration.	14027 Clause 7, 7.3, 7.5 14071	PCR supporting documentation: • Dated review report	1 Transparency	Aggregated technical and public comments spreadsheet, including commenter names and committee responses, to be created and made available in the Detailed Review Report.	Complete
	<input checked="" type="checkbox"/>	4	The PCR Review Panel shall confirm that the PCR meets relevant EPD-related federal and/or state procurement requirements (e.g., Buy Clean Legislation) that are specifically referenced in the PCR.	This guidance and relevant EPD-related federal and/or state procurement requirements	PCR supporting documentation: • Reviewers' sign-off and/or list of any deviations from procurement requirements	2 Procurement	N/A	N/A
<input checked="" type="checkbox"/>	5	The PCR Review Panel shall verify conformance the Program Operator and PCR Committee checklists and the appropriate category of EPD use is identified.	This guidance	PCR supporting documentation: • Reviewers' sign-off below and/or list of any deviations from this guidance. All three completed checklists returned to the PO.	1 Transparency	Section below completed by review panel chair, who confirmed sign-off from all review panel members.	Complete	

Reviewer acceptance for EPD use case (1, 2, or 3) Date | Reviewer names & email

Date	Revier name & email	Acceptance for EPD use case Level 1 (Y/N)
2-Oct-24	Thomas Gloria - t.gloria@industrial-ecology.com	Yes
3-Oct-24	Rifat Kanim - rifat.chimique@gmail.com	Yes
2-Oct-24	Jack Geibig - jgeibig@ecoform.com	Yes



Part B comments worksheet

SM Transparency Report™ Framework
Part B: Product group definition

Sustainable Minds, PCR Part B: Product group definition | Commercial Lavatories, 2024. http://www.sustainableminds.com/files/transparency/pgds/Part_B_Product_Group_Definition_Commercial_Lavatories_2024.pdf.

Part B name:	Commercial lavatories
Reviewers:	Tom Gloria, Jack Gebig, Rifat Karim (no comments during public consultation)

Topic #	Page #	Section #	Type of comment (Technical/editorial/other)	Reviewer comment	Reviewer's proposed change/solution	Response	Rationale	Reviewer response to public comment	Response
1	1	Product group - Exclusions	Technical	Clear instructions required.	RK: To have a clear instruction, mention that sinks outside of the lavatory are not included in this PCR. Suggested revision as: "Sinks intended for use outside a lavatory (bathroom, toilet room, or bathing facility)"	No change	PCR Committee members have defined lavatory as "a washbowl or basin used in a bathroom, toilet room, or bathing facility"	Accept	Closed
2	1	2	tech	PCR states "Any parts/components not integrated and sold with the lavatory or wash fountain shall be excluded from the system boundary."	JG: This is an important criterion, as it determines what is in scope. How is integrated defined here? This seems a little squishy. The word is defined as "with various parts or aspects linked or coordinated." So as written, parts must be both integrated and sold to be included. Are all parts sold with the lav considered intergrated? How can we discern the ones that are and aren't? IN short, can this requirement be made simpler by simply saying "all parts sold with the product" or made more specific by defining parts that can be considered integrated? Note: The exclusions below are not really helpful here given none of them are sold with the product.	Accept	Reworded scope to cover lavatory systems and added corresponding definition.	Accept	Closed
3	1	2	edit	For sections B6 and B7 it is stated that the rules for lavatories which include a faucet follow the commercial faucets PCR.	While its ok to reference criteria in other guidance, this typically involves guidance that also includes the products within the PCR as a subset (e.g. Referencing 21930 in a PCR for building products). Suggest listing the requirements in this document so the PCR is self contained.	No change	Since the vast majority of lavatories are sold without an integrated faucet, it may be confusing to practitioners to list the lengthy water and energy use assumptions in this Part B as well. When the faucets Part B gets updated, this Part B adopts those assumptions. In addition, Sustainable Minds prefers a modular approach to Part Bs and has used this same method for e.g., the commercial toilets Part B, where B6-B7 refer to the flush valves Part B for integrated flush valve products.	Accept	Closed
4	1	3	edit	PCR states " An existing non-expired PCR for commercial lavatories was not found at the time of publication of this Part B "	JG: Awkward sentence. Rewrite as "At the time of publication of this Part B, an active PCR for commercial lavatories was not identified"	Accept	Reworded for clarification as suggested	Accept	Closed
5	3	System boundary	Technical / Editorial	Suggestion for improvement	RK: I suggest re-wording part of the second paragraph. "The significance of capital goods and infrastructure to the overall impacts of the products is quantified differently and they vary based on primary and secondary datasets and the dataset providers. To reduce possible artificial variation in EPD results across the product group, capital goods and system infrastructure flows shall be excluded from the system boundary by default, with justification required for alternative assumptions."	Accept	Reworded second paragraph to improve clarity, implementing phrases suggested.	Accept	Closed
6	3	Additional rules for comparability (A2, A5)	Technical	There are a number of truck transportation option based on the dataset/software is used, since this PCR is based on North America we should specify the truck type following EPA classification.	RK: Type of truck /class needs to be specified.	Accept	Added specification of class 8 truck for both A2 and A4. Reference: https://afdc.energy.gov/data/10380	Accept	Closed
7	3		tech	PCR States "EPDs that use secondary data for any unit process that contributes 5% or more to any disclosed environmental impact category shall disclose the data source (database name and version, software type and version implemented, dataset name, dataset geography, and dataset allocation method)."	JG: I noticed this additional reporting requirement that was not in previous PCRs was added. DO you mean LCA modeling software type? Pls clarify to what type of software this is referring. Also, it should be made clear in the language that the criterion applies to the LCI being used, and not the actual unit process data being reported by the manufacturer. The value of 5% is really low in this instance and will basically require the reporting of details for individual LCI data sets in the EPD itself, rather than just in the LCA background report.	No change	The committee confirmed that 5% is appropriate. Left as-is.	Since the information required to be reported is relevant to the data source, it remains unclear to what "software type and version" is referring? LCI data are often available outside the structure of a software tool (eg. ecoinvent data can be purchased separately from multiple LCA tools). This specific requirement should be explained or deleted.	Changed to "LCI database name and version" and "LCA modeling software type and version implemented" This specific requirement was added in response to a previous PCR Committee comment that there's a chance the same data set may provide different results depending on software used. JG: Accepted
8	3	Additional rules for comparability (A4)	Editorial	Suggestion for improvement	RK: The last sentence is a little bit confusing. Suggestion : "1600km (994 miles) should be the total distance inclusive of several transport legs (if any). "	Accept	Reworded second sentence to clarify total of 1600km and that it includes multiple transport legs if needed.	Accept	Closed
9	4	2	edit	In the A1 section it is stated that "the electricity grid profile of the data set should be adapted to the source country or region, if known and possible with the selected data set."	JG & TG: Replace should with shall.	Accept	Shall statement aligns with the intent of this scenario	Accept	Closed

10	4	Additional rules for comparability (A4)	Editorial	Additional character	RK: Please remove the additional "(" in front of 994	Accept	Reworded second sentence to clarify total of 1600km and that it includes multiple transport legs if needed.	Accept	Closed
11	4	2	edit	PCR States "In cases when the EPD owner purchases manufactured components, the manufacturing process activity at the upstream supplier shall be counted in the extraction and upstream production stage, separate and in addition to the upstream raw material extraction."	JG: This language is unclear and confusing. By "extraction and upstream production" do you mean the raw material extraction and processing stage? This should be clarified. The phrase "separate and in addition to ..." is really unclear. Separate from what, the extraction stage (which seems to contradict the first part of the sentence requiring its inclusion there)? In addition, to what? Is this suggesting that the values from upstream parts manufacturing be reported separate and in addition to other raw material extraction? I don't get this at all.	Accept	Reworded to: "In cases when the EPD owner purchases manufactured components, the manufacturing process activity at the upstream supplier shall be counted in this stage, in addition to the upstream raw material extraction."	Accept	Closed
12	4	Additional rules for comparability (A5)	Technical	The sentence is unclear	RK: Add related to installation at the end of the sentence. : "The installation stage shall include, as applicable, any ancillary materials, electricity and/or water consumption (e.g., from tools or initial product testing by customer prior to first use), and disposal of product packaging waste and other waste materials directly related to the installation phase."	Accept	Added "...directly related to installation of the product." for clarity.	Accept	Closed
13	4	2	edit	In the B3 section, a number of different scenarios are broken out for repairs for the lavatories. However, it should also make clear that when there are no drains or faucets sold with the product then repairs are not necessary (zero). In other sections, like B6 / B7 this is broken out. It needs to be broken out here	JG: Include a clear statement that repairs are not applicable when a product is sold without integrated components like a drain or a faucet.	Accept	Added intro to state that repairs are not expected for lavatories without a faucet or drain.	Accept	Closed
14	4	Additional rules for comparability (Reference service life)	Technical	Clarity in instructions required.	RK: Please provide a conversion calculation/rule between RSL, ESL and reference flow (described in B3, can be copied/moved/referenced).	No change	The ESL and RSL section is intended to specify the ESL and RSL, which are relevant for the assumptions laid out in B1-B7. The conversion calculation/rule in B4 is only relevant for replacements.	Accept	Closed
15		Additional rules for comparability (Maintenance B2)	Technical	Since there is a variation in how the lavatories are sold in the North American market (with or without faucets), the cleaning activity will change.	RK: Provide clear guidance on cleaning scenarios.	Accept	Referred to faucets Part B for additional cleaning for products with integrated faucets and added table for quicker reference.	Accept	Closed
16	4	Additional rules for comparability (Repair B3)	Technical	This section should discuss only the repair and not the replacement.	RK: Move the replacement discussion to the next section (B4)	Slight rewording	A faucet is a repairable component of lavatory systems (definition added for clarity) and should be replaced every 10 years to align with the faucet PCR. Slightly edited wording for clarity but left mostly as-is.	Accept	Closed
17	4	Additional rules for comparability / Default Life Cycle Stage Scenarios (Replacement B4)	Editorial	The example given of calculation of the number of replacements is not consistent with the requirement. Replacements are to be "counted proportionally to the nearest tenth", yet the example is to the nearest hundredth.	JG & TG: Use this example to clearly and unambiguously demonstrate that the number of replacements of 2.75, should be rounded to the nearest tenth, as in 2.8.	Accept	Clarified to the nearest hundredth.	Accept	Closed
18	4	Additional rules for comparability (B6 & B7)	Technical	To avoid going back and forth between PCRs can we put the reference text here?	RK: Add the reference text here from the commercial/public metered and manual lavatory faucets here. Or at the very least external link / the section numbers should be added.	No change	Since the vast majority of lavatories are sold without an integrated faucet, it may be confusing to practitioners to list the lengthy water and energy use assumptions in this Part B as well. When the faucets Part B gets updated, this Part B adopts those assumptions. In addition, Sustainable Minds prefers a modular approach to Part Bs and has used this same method for e.g., the commercial toilets Part B, where B6-B7 refer to the flush valves Part B for integrated flush valve products.	Agree. Missing the closing quotation mark. Please fix.	Added closed quotation mark after 'Default life cycle stage scenario(s)' RK: Accept
19	5	Additional rules for comparability (Waste processing C3)	Editorial	Being specific for EoL guidance	RK: To be more clear and specific I suggest changing the last sentence in C3 a little bit to : ".....take-back program require evidence such as documentation of the program and documented number or share of units sold that participate in take-back program."	Accept	Added clarification to define program as take-back program	Accept	Closed

20	5	Additional rules for comparability / Default Life Cycle Stage Scenarios (Waste Disposal (C4))	Technical	Location for end of life disposition is not fully described.	TG: Provide guidance on default location of NA for end of life disposition if unknown and report if known.	Accept	Added North America for default landfill location	Accept	Closed
21	5	Additional LCA calculation rules	Technical	2017 is the latest updated version for ISO 21930	RK: Please change the ISO name to "ISO 21930:2017", also to be consistent with the system boundary description.	Accept	Added version to standard	Accept	Closed
22	5	Part B development information (Part B review pane;)	Editorial	Change Rifat's affiliation	RK: Please change my company name as "Independent Consultant"	Accept	Updated affiliation	Accept	Closed
23	*		Technical	Clarity with renewable electricity	RK: While I am aware that the REC addendum is currently ongoing through ACLCA and assuming it will be reflected in part A either with revisions or addendum, we need to reference that in this document.	Accepted for inclusion in Part A	RECs are currently not addressed, but they will be in the next SM Part A update, intended to align with the updated ACLCA PCR Open Standard REC addendum once published.	Accept	Closed
24	5	Part B development information (Update justification)	Editorial	This is a new PCR (NOT an update), the justification statement should reflect that.	RK: Suggest changing the word from "updated" to "created" .	Accept	Justification for update not needed	Accept	Closed
25	5	Part B development information (Part B review pane;)	Technical / Editorial	Update referencing ISO 21930 to ISO 21930:2017	RK: The last addendum of ISO 21930 is 2017, either we add the 2017 at the end or drop it to be consistent throughout the document. [also see comment #12]	Accept	Added version to standard	Accept	Closed